

Bottoms Up! Help Sort Out Bowel Prep Options

You can help patients succeed with bowel preps for colonoscopies.

Deaths from colon cancer are rising by about 1% each year in people under 55. Recommend colon cancer screening for patients age 45 and up.

For patients getting a colonoscopy, work with the patient and prescriber to suggest a bowel prep based on preference, comorbidities, and cost. Point out that payers may cover some prep options at \$0 co-pay.

Any option is effective...if patients can tolerate and use it properly. Inadequate prep can lead to missed polyp detection, etc.

PEG with electrolytes is still the "gold standard," especially when fluid or electrolyte shifts may be harmful...diuretic use, kidney or liver disease, heart failure, etc. But taste and volume can be an issue.

Lean toward a sulfate-free option, such as *TriLyte*, among the high-volume 4 L preps. These taste less salty than *GoLytely*, etc...don't smell like rotten eggs...and cost about \$20.

If patients find 4 L daunting, suggest 2 bisacodyl tabs and drinking half the jug...evidence suggests this can work as well as 4 L. Low-volume PEG options (*MoviPrep*, etc) are available...but can be costly.

Non-PEG products, such as *Clenpiq* or *Suprep*, are also low volume.

But these shouldn't be used if fluid or electrolyte shifts are a concern. Also avoid these in patients on meds that may increase risk of kidney injury (ACEIs, ARBs, NSAIDs, etc).

If patients want to try tablets, point out that Sutab still requires 3 L of fluid, plus 24 tabs...and costs about \$165.

OTC regimens are an option, especially if Rx products are limited.

Think of PEG 3350 (*Miralax*) 238 g mixed in 2 L of a light-colored sports drink, such as *Gatorade*...sometimes along with bisacodyl. This costs around \$6 to \$10...but has less electrolytes than Rx PEG products.

Save magnesium citrate as a last resort...due to limited efficacy data and risk of hypermagnesemia, especially in the elderly.

With any prep, recommend a split-dose regimen...taking half the night before and half 4 to 6 hours before the colonoscopy. This may get patients up early...but improves prep quality and tolerability.

Suggest other ways to make preps easier to swallow...chilling the solution, drinking through a straw to bypass taste buds, using light-colored flavored beverage mixes (*Mio*, *Crystal Light*, etc).

Remind patients to avoid red and purple drinks...since these can be mistaken for blood during colonoscopies.

Weigh prep options with our chart, Comparison of Bowel Preps.

Key References:

- -Millien VO, Mansour NM. Bowel Preparation for Colonoscopy in 2020: A Look at the Past, Present, and Future. Curr Gastroenterol Rep. 2020 May 6;22(6):28.
- -Patel N, Kashyap S, Mori A. Bowel Preparation. [Updated 2023 Apr 17]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from: https://www.ncbi.nlm.nih.gov/books/NBK535368/ (Accessed January 3, 2025).
- -ASGE Standards of Practice Committee; Saltzman JR, Cash BD, Pasha SF, et al. Bowel preparation before colonoscopy. Gastrointest Endosc. 2015 Apr;81(4):781-94.

Cite this document as follows: Article, Bottoms Up! Help Sort Out Bowel Prep Options, Pharmacist's Letter, February 2025

The content of this article is provided for educational and informational purposes only, and is not a substitute for the advice, opinion or diagnosis of a trained medical professional. If your organization is interested in an enterprise subscription, email sales@trchealthcare.com.

© 2025 Therapeutic Research Center (TRC). TRC and Pharmacist's Letter and the associated logo(s) are trademarks of Therapeutic Research Center. All Rights Reserved.



- -Haydel JM, Xu AA, Mansour NM. High volume, low volume, or pills, which way should we go? a review of bowel preparation for colonoscopy. Curr Opin Gastroenterol. 2024 Jan 1;40(1):21-26.
- -Medication pricing by Elsevier, accessed November 2024.

Pharmacist's Letter. February 2025, No. 410203

Cite this document as follows: Article, Bottoms Up! Help Sort Out Bowel Prep Options, Pharmacist's Letter, February 2025

The content of this article is provided for educational and informational purposes only, and is not a substitute for the advice, opinion or diagnosis of a trained medical professional. If your organization is interested in an enterprise subscription, email sales@trchealthcare.com.

© 2025 Therapeutic Research Center (TRC). TRC and Pharmacist's Letter and the associated logo(s) are trademarks of Therapeutic Research Center. All Rights Reserved.